# Helotes Economic Development Corporation

# Preliminary Engineering Study for Proposed Water and Sanitary Sewer Lines

April 2008

PREPARED FOR



## CULTIVATING COUNTRY

12951 Bandera Road Helotes, Texas 78023

SUBMITTED BY





8918 TESORO DRIVE, SUITE 401 – SAN ANTONIO, TEXAS 78217 (210) 822-2232 – (210) 822-4032

## Helotes Economic Development Corporation

# Preliminary Engineering Study for Proposed Water and Sanitary Sewer Lines

April 2008

PREPARED FOR



## **CULTIVATING COUNTRY**

12951 Bandera Road Helotes, Texas 78023

SUBMITTED BY



8918 TESORO DRIVE, SUITE 401 – SAN ANTONIO, TEXAS 78217 (210) 822-2232 – (210) 822-4032

## HELOTES ECONOMIC DEVELOPMENT CORPORATION

# PRELIMINARY ENGINEERING STUDY FOR PROPOSED WATER AND SANITARY SEWER LINES

#### TABLE OF CONTENTS

Item	Page
Introduction	1
Authorization	1
Purpose and Scope	1
General	) }
Evaluation	1
Existing Utilities	1-2
Coordination with TxDOT	2
Coordination with SAWS	
Existing Lots.	2-3
Recommendations	4
Proposed Water Line	4
Proposed Water Line	4
Proposed Sanitary Sewer Line	4-5
Preliminary Estimated Costs	5
Summary	5-6
APPENDICES	
Litility Raca Mano	
Utility Base MapsSAWS Memo	A
Proliminary Cummary of Water and Come Day 1 1	В
Preliminary Summary of Water and Sewer Demands, Impact Fees	C
Preliminary Schematic Layout for Proposed Water Line	D
Preliminary Schematic Layout for Proposed Sanitary Sewer Line	Е
Preliminary Engineering Cost Estimate	13

#### INTRODUCTION

This report represents the results of the feasibility study for Proposed Water and Sanitary Sewer Lines along the North side of Bandera Road (S.H. 16) from Scenic Loop to Cedar Trail (approx. 11,200 feet).

#### Authorization

The work for this project was performed in accord with a contract for services dated November 28, 2007, between LNV Engineering and the Helotes Economic Development Corporation.

#### Purpose and Scope

The purpose of this feasibility study was to provide the Helotes Economic Development Corporation the possibility of providing both water and sanitary sewer lines along the North side of Bandera Road (S.H. 16) from Scenic Loop to Cedar Trail.

#### General

The Engineer warrants that the findings, recommendations and professional advice contained herein have been presented after being prepared in accordance with generally accepted professional engineering practices.

This report has been prepared for the exclusive use of the Helotes Economic Development Corporation.

#### **EVALUATION**

#### **Existing Utilities**

The existing utilities located along the North side of Bandera Road consist of gas, electric, water and sanitary sewer. See Appendix A for Utility Base Maps.

AT&T has a buried telephone cable along the North side of Bandera Road from F.M. 1560 to Diamond K Trail. There is also a buried telephone cable along the North side of Bandera Road from Leslie Road to Cedar Trail. A buried conduit system is located at the northwest corner of the intersection of Bandera Road and Scenic Loop.

CPS Energy has a buried gas line along the North side of Bandera Road from Cedar Trail to the north of the intersection of Bandera Road and Circle A Trail.

Grey Forest has a buried gas line along the North side of Bandera Road from Diamond K Trail to F.M. 1560 and along the North side of Bandera Road adjacent to Helotes Park Estates near Laurel Leaf Drive.

San Antonio Water System (SAWS) has a 15-inch sanitary sewer main along the North side of Bandera Rd from Circle A Trail to Hausman Road (F.M. 1560). There is an 8-inch sanitary sewer main at the intersection of Bandera Road and Cedar Trail which extends west along the North side of Bandera Road to Bandera Oaks Car Wash.

San Antonio Water System (SAWS) has a 16-inch water main at the intersection of Bandera Road and Hausman Road which extends west to the existing pump station located just east of Diamond K Trail. There is also a 16-inch water main located at the intersection of Bandera Road and Cedar Trail which extends west along the North side of Bandera Road to Bandera Oaks Car Wash.

#### Coordination with TxDOT

Currently, the right-of-way (R.O.W.) along Bandera Road is a variable width but in general there is approximately 180 feet of R.O.W. throughout the project limits. TxDOT has no future plans to widen Bandera Road within the project limits. TxDOT would prefer to have the proposed water and sanitary sewer lines within dedicated easements on individual parcels; however, would permit construction if this was not obtainable.

TxDOT requires all utility mains to be placed at a minimum distance of ten (10') feet from the edge of pavement. There are some areas along the North side of Bandera Road that has only 15 to 17 feet from the edge of pavement to the face of the rock outcropping. Due to the close proximity of the rock outcropping, it will be necessary to cut back into the rock for additional distance to accommodate the proposed water and sanitary sewer lines. A variance could be requested to place the service lines within the minimum 10' distance from the edge of pavement; however, these requests are rarely approved.

Easements may be necessary along the North Side of Bandera Road from Circle A Trial to Cedar Trail. Currently, there are several utility mains in this area and with the recent construction of widening Bandera Road; there is very little area for additional services.

All water and sewer main crossings at any paved driveway, State Highway or City streets must be bored due to state regulations and city ordinances.

#### Coordination with SAWS

Currently, there are no CIP projects or any other projects proposed to be built by SAWS to provide water and/or wastewater services to the City of Helotes along Bandera Road, between Scenic Loop and Cedar Trail.

There will be no SAWS participation and no credits for the construction of water mains/facilities and/or wastewater collection systems required to serve the properties within the project limits.

To actually provide service to any of the properties within the project limits, the developer (The City of Helotes/property owners or developers developing the properties) will be required to enter into a Utility Service Agreement (USA) with SAWS and complete all the necessary requirements.

The City of Helotes/property owners or developers developing the properties will be responsible for all costs associated with the design, construction and installations of all water and wastewater facilities/mains/systems required to serve the properties within the City of Helotes.

SAWS recently completed a capacity analysis of the Iron Horse Lift Station. See Appendix B for SAWS Memo. This information is critical to the City's future wastewater planning as the gravity mains must carry the flows (current and ultimate) being pumped by the Iron Horse Lift Station and any other flows introduced by secondary collector lines and laterals downgradient of the start of the 15-inch gravity line at Bandera Road and Circle A Trail.

Overall committed and uncommitted flows identified by SAWS to be served by the Iron Horse Lift Station totals 3.781 M.G.D., (2.626 g.p.m.). This cyclic pumped flow is directed to 15-inch and 18-inch gravity mains which also serve other downgradient sections of the City, not served by the lift station. Additional flows are being directed to 15 and 18 inch downgradient gravity mains along Highway 16, at Leslie Road within Cedar Point and also Cedar Trail. Gravity mains should transport iron horse pumping rates and all additional flows to the gravity mains. Measuring and evaluating the current flows within these mains, and forecasting flows from proposed/approved developments outside the lift station drainage area, and determining the actual remaining capacity is beyond the scope of this study. An elementary school is planned to the south side of Highway 16 to the west of Leslie Road and commercial development is planned to the east of Leslie Road to the south of Highway 16.

The proposed development will comprise of approximately 580 Equivalent Dwelling Units (EDUs) using a 4 EDU per acre land use, which would produce an additional wet weather wastewater flow of 0.3917 M.G.D. or 272 G.P.M.

Most proposed developments listed in the SAWS Capacity Analysis of the Iron Horse Lift Station of February 19, 2008 have no reserved or guaranteed capacity.

Certain sections of the 15-inch and 18-inch gravity sewer mains downgradient of the future connection point of this proposed development will not adequately transport the ultimate flow to be delivered by the Iron Horse Lift Station alone.

#### **Existing Lots**

Currently, based on the Bexar County Records and the City of Helotes, there are approximately ten (10) platted properties and thirty (30) non-platted properties along the North side of Bandera Road from Scenic Loop to Cedar Trail.

#### RECOMMENDATIONS

#### Proposed Water Line

Preliminary calculations estimate that the proposed water line will be a 12-inch water main which is based on the projected water demand (ultimate + fire flow) and land use. See Appendix C for Water Demands. According to the SAWS water master plan, the vast majority of the project limits are within Zone 8 which has an elevation range from 920 ft to 1040 ft.

The proposed 12-inch water main will be located along the North side of Bandera Road which will connect to an existing 24-inch water main at the intersection of Bandera Road and Scenic Loop. The water main will extend down to the existing 16-inch water main located just past the intersection of Diamond K Trail and Bandera Road. See Appendix D for Preliminary Schematic Layout for Proposed Water Line.

The other portion of the proposed 12-inch water main will be located along the North side of Bandera Road between Hausman Road and Cedar Trail. The 12-inch water main will connect to the existing 16-inch water main at Bandera Oaks Car Wash and extend to the intersection of Bandera Road and Hausman Road.

#### Proposed Sanitary Sewer Line

According to the Bexar County 2 FT Contour Map, a gravity sanitary sewer main will not be achievable from Scenic Loop to 13234 Bandera Road. Preliminary assessment indicates that a lift station and force main will be needed from Helotes Creek to 13234 Bandera Road in order to transfer the sewage in an upgradient direction. This will require acquisition of land for the placement of the lift station and SAWS required truck access. Once the sewage has been lifted to 13234 Bandera Road, an 8-inch gravity sanitary sewer main shall be installed from 13234 Bandera Rd to Circle A Trail. The proposed 8-inch gravity sanitary sewer main will connect into the existing 15-inch sanitary sewer main at the intersection of Bandera Road and Circle A Trail, if capacity exists.

The remaining capacity within the collection system downgradient of the intersection of Bandera Road and Circle A Trail are not known at this time. LNV Engineering has provided SAWS with preliminary projected wastewater demands so that they can evaluate the existing sewer system to determine if this project could possibly tie-in to the existing 15-inch sanitary sewer main at Circle A Trail. See Appendix C for Sewer

**Demands.** The existing sanitary sewer system will need to be modeled utilizing current flows to verify if the current sewer main would be able to handle the additional flows from the developments along Bandera Road. If the capacity of the existing sewer system is not adequate to handle the additional flows, then a parallel sewer system or replacement of the existing system will be required. This evaluation was requested of SAWS in January 2008 and has yet to be received.

The other portion of the proposed 8-inch gravity sanitary sewer main will be located along the North side of Bandera Road between Hausman Road and Cedar Trail. The 8-inch gravity sanitary sewer main will connect to the existing 8-inch gravity sanitary sewer main at Bandera Oaks Car Wash and extend to the intersection of Bandera Road and Hausman Road. See Appendix E for Preliminary Schematic Layout for Proposed Sanitary Sewer Line.

The proposed alignments for both the water and sanitary sewer mains that will be crossing Helotes Creek can either be trenched or bored. If Helotes Creek is to be trenched then a 404 permit will be required to be submitted to the Army Corp of Engineers for approval.

#### Preliminary Estimated Costs


Using the information gathered from the utility base maps, information provided by SAWS and SAWS design guidelines, a preliminary cost estimate has been determined. Estimated costs were developed using the current San Antonio Water System (SAWS) Average Unit Price List for Water and Sanitary Sewer Governmental Division Projects. The estimated costs are total budget costs and include twenty percent (20%) for construction contingencies and ten percent (10%) for engineering design services. The estimated costs do not include land acquisition or easements.


The preliminary estimated budgeted cost for the construction of the proposed water and sanitary sewer lines are \$2,949,810.50. See Appendix F for Preliminary Engineering Estimate. An inflation factor has not been included in this report and should be considered if the project is not completed within the next year. In addition to the construction estimate, the SAWS impact fees for both the water and sanitary sewer lines will be \$3,192,200.00 based on a future land use of 4 EDU's per acre. See Appendix C for SAWS Impact Fees.


#### SUMMARY


Based on the study, it is feasible to install both water and sanitary sewer lines along the North side of Bandera Road from Scenic Loop to Cedar Trail. However, there are many unknowns and concerns with the capacity of the downgradient sanitary sewer system from Circle A Trail to Hausman Road and at Cedar Trail. This study did not include the analysis of the existing sanitary sewer system from Circle A Trail to Hausman Road.


LNV Engineering recommends that a Phase A Study be conducted for water and wastewater systems in conjunction with SAWS to analyze current conditions, capacities, demands and determine the remaining capacities and recommendations for improvements of the existing system. This report would include flow monitoring, modeling (water and wastewater), alternatives for future expansion, recommendations and cost estimates.














SO EEC 200 CPL LI
O EEC TEST HOLES REQUIRED TO VERIFY ALIGNMENT & DEPTH OF SBC FACILITIES ACT TO SCALE SEE HE COMDI' S134 25 872-3 172 ULKKO 872-3 172 ULKKO Sero Sero 95 AT21 15 482, 46 BUCKS ESW. LIG SO COLT. III 1 100000

TEST HOLES REGUIRED TO VERIFY ALIGNMENT & DEPTH OF SEC FACILITIES SEE NO COND. 5136 NOT TO SCALE \*\*\*\*\*\*\*\* Sock Orders - Year C605047 1956 MH 4692 40 HAN 100 GG 04, 10-4 12, Com 219, 219, 519, 514 SEE OG COND S19 


TEST HOLES REQUIRED TO VERIFY ALIGNMENT & DEPTH OF SBC FACILITIES NOT TO SCALE Section of the sectio \* 1 iisissaaaaaatealiisia Very Diders - Year 0505047 [Ā LISTATY INFRANCION CONTRACTION Charles are marrell 74.4 2504.4, 2504.7 The state of SI32 FREEFERFERFERFERFERF SEE CONDI,


TEST HOLES REQUIRED TO VERIFY ALIGNMENT & DEPTH OF SBC FACILITIES NOT TO SCALE SEE CONDT. 2171 \$ 288888888 EX, MH 6421 Verb Grders - Year D605047 1596 ( the 1889) See, Peresis SEE CONDE SHE S136 żес евив<del>т st</del>


ZEE CONDL' SINS TEST HOLES REQUIRED TO VERIFY ALIGNMENT & DEPTH OF SBC FACILITIES NOT TO SCALF 100 mm Verk Ergers - Year 22.0 [551588888888588888888 SEE CONDITIONS


NOT TO SCALE


TEST HOLES REQUIRED TO VERIFY ALIGNMEN: 4 DEPTH OF SBC FACILITIES
































### San Antonio Water System

## Memo

To: Patrick O'Connor, Graduate Engineer I at Development Engineering; and Amy McGovern, EIT,

Graduate Engineer I at Development Engineering

From: Santa G. Rivas, Planner III, Wastewater Master Planning

CC: Kat Price, P.E., Manager-Water/Wastewater Master Planning; Bobby Mengden, P.E., Manager-

Development Engineering Division (DED); Tracey Lehmann, P.E., at Wastewater Master Planning; and Samuel Johnson, Jr. E.I.T., Graduate Engineer II at Wastewater Master Planning

Re: Capacity Analysis of the Iron Horse Lift Station Area.

February 19, 2008

An analysis was conducted using available/existing data from the SAWS active Sewer Service Contracts (SS Contracts), Utility Service Agreements (USAs), and design data related to the existing infrastructure. The data was used to compare the total capacity that SAWS has under contract/agreement versus the design capacity of Iron Hose Lift Station #233 (See attached table with list of *Active USAs and SS Contracts*).

#### Area of Study:

The area of study included approximately 2,673 Acres within the Culebra Creek Watershed, which is part of the SAWS West Sewershed. The 2,673 acres will ultimately connect and discharge a total of 4,965 EDUs, which will ultimately place a total demand of 3.781 MGD (3,781,091 MGD or 4,965 EDUs, based on peak wet weather flows) on the Iron Horse Regional Lift Station/Force Main System (see table below).

The 2,673-acre area was broken up into six (6) smaller sub-catchment areas (see attached exhibit) to create six point loads, as shown on the summary table below. This was done to determine the contributing flows to each point load from each of the active USAs and/or Sewer Contracts within each sub-catchment area. Subsequently, the contributing flows were then cumulatively added along the six point loads all the way down to Iron Horse Lift Station #233 (see table below).

Summary of Sub-Catchment Areas (based on active USAs and Contracts)

Sub- Catchment Area	Acres	Sewer EDUs	Peak Dry Weather Flows (GPD)	Peak Dry Weather Flows (MGD)	I & I (300 GPD/Ac.)	I & I (300 MGD/Ac.)	Peak Wet Weather Flows with I&I (GPD)	Peak Wet Weather Flows with I&I (MGD)
1	875	2,333	1,399,800	1.400	262,570	0.263	1,662,370	1.662
2	607	726	435,600	0.436	182,004	0.182	617,604	0.618
3	636	201	120,600	0.121	190,875	0.191	311,475	0.311
4	493	1,634	980,340	0.980	147,929	0.148	1,128,269	1.128
5	33	46	27,600	0.028	10,040	0.010	37,640	0.038
6	28	26	15,354	0.015	8,380	0.008	23,734	0.024
Totals	2,673	4,965	2,979,294	2.979	801,797	0.802	3,781,091	3.781

Summary Totals from active USAs and/or Sewer Contracts within each sub-catchment area, as of February 12, 2008.

#### Design Capacity of Iron Horse Lift Station #233:

The design capacity of the Iron Horse Lift Station #233 is based on two submersible pumps. The pumps have a current "pump test rate" of 1,043 gpm and 1,017 gpm, respectively. Based on current practice here at SAWS, it is assumed that the pump with the largest "pump test rate" shall serve as the back up pump; and that the pump with the smaller "pump test rate" is being used to calculate the total capacity of the lift station. The maximum capacity at Iron Horse Lift Station #233 is being based on 1,017 gpm, which equates to only 1.464 MGD (1,464,480 GPD) of sewer capacity, which equates to 2,169.6 EDUs (based of peak wet weather flows). Note: Source of Pump Test Rates is based on SAWS Assessment and Design of Sewer Lift Station Improvements, prepared for SAWS by PBS&J, which was completed on February 21, 2005.

#### Reserved Capacity:

A total of 600 EDUs of capacity have been reserved in the Iron Horse Regional Lift Station/Force Main System. 400 for the Iron Horse Canyon development (see note below) and up to 200 EDUs for the San Antonio Ranch area, based on the following:

• SAWS will reserve capacity in infrastructure constructed by the developer up to the number of EDU's described in this USA. Capacity is guaranteed only after the developer constructs all required infrastructure and pays all applicable impact fees.

Note: The Iron Horse Regional Lift Station was constructed by Man Development, Ltd. to serve the Iron Horse Canyon development (for a 634-acre-tract and 400 EDUs, as per a SS Service Contract, which was passed and approved through Resolution #01-204 on July 17, 2001), in which SAWS participated in the oversizing of a regional lift station/force main system in order to abandon the San Antonio Ranch Treatment Plant, as part of the San Antonio Ranch Elimination Project; and to accommodate up to 200 connections within the San Antonio Ranch area (About 166 existing dwelling were initially connected after the project).

Some other properties (with existing dwellings), within the City of Helotes (old part) were also connected into the system after the project was completed (information not found, not known how many).

#### Capacity Not Reserved/Not Guaranteed:

The ultimate demand from the proposed development areas currently under agreement/contract (see attached list of *Active USAs/SS Service Contracts*) will eventually exceed the design of Iron Horse Lift Station #233. Based on this capacity analysis, and assuming that all of the USAs and SS Service Contracts are built-out, lift station #233 is going to be short on capacity by approximately 2.197 MGD, which is approximately 2.5 times higher than originally designed. Therefore, *reserved and/or guaranteed capacity* for areas currently under a USA/sewer contract is not definite, based on the following:


• if impact fees were not paid prior to the execution of the USAs/Contracts, capacity in the Iron Horse Regional Lift Station/Force Main System, and all downstream infrastructure, will only be reserved for this development in increments necessary for each area being platted, only if capacity for the platted area is available at the time of plat approval by SAWS. If capacity is not available, the Developer will be required to construct any infrastructure required to the point where capacity is available in the SAWS system. Alternately, if agreeable to SAWS and the Developer, the Developer may be able to pay applicable impact fees, and SAWS will facilitate construction of certain off-site collection and/or treatment facilities, if the facilities were included as Impact Fee Capital Improvement Projects, and provide service within 5 years of accepting impact fees.

#### Guaranteed Capacity (EDUs) for each USA or Contract:

Information to determine the total number of guaranteed EDUs, if any, for each development area currently under agreement or under contract may be found at the Development Engineering Division [Such information is in regards to the paid sewer impact fees and paid number of EDUs for each of the areas currently under agreement/contract, as listed in the attached *Active USAs/SS Contracts* table and as shown on the attached map exhibit].

# Active USAs and Sanitary Sewer Service Contracts (Current as of 2/11/2008)

	Developer	Acres	Sewer EDUs	Over the ERZD	RES.	Approved	Expires	Over- Sizing	Status	Notes	Source (SAWS_SDE Common Files)
Iron horse Canyon	Mann Development, Ltď.	634.000	400.000	DП	01-204	7/17/2001	7/17/2011			50% on sub-catchment 2 and 50% on sub-catchment 3. Reserved Capacity in the Iron Horse Regional Lift Station; subject to impact fees.	Pre-2003 SS Contracts
Los Altos Garden Homes	Bandera Station, Ltd	8.513	34.000	92	Admin App.	1/15/2002	1/15/2012			wed by KN on 1/23/02. Capacity not anteed.	Pre-2003 SS Contracts
San Antonio Ranch Community Sub. U-1	Rodolfo A. Munoz	5.000	1.000	દ	Admin App.	1/25/2002	1/25/2012			Capacity not reserved and not guaranteed.	Pre-2003 SS Contracts
Broadway Bank Helotes	Вгоафиау Валк	1,440	7.000	yes	Adm. Appr.	5/28/2003	5/28/2013			Capacity not reserved and not guaranteed.	Pre-2003 SS Contracts
14107 Bandera Rd 4.136	Michael M. Young and Russell F. Young	4,136	1.000	No	NIA	4/5/2004	4/5/2007	νo	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
14239 Old Bandera Rd_0.36	Doris Young	0.360	1.000	No	W/A	4/5/2004	4/5/2007	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
First Baptist Church Helotes 3.97 Acres	First Baptist Church - Helotes	3.970	1.800	Š		4/8/2004	4/8/2007	ဥ	Approved		2003-2005 USAs
13247 Bandera Rd 2.25	Bob Statos	2.250	1.000	Yes	N/A	4/9/2004	4/9/2007	õ	Approved		2003-2005 USAs
13439 Bandera Rd 3.695	Longhorn, Inc.	3.595	1.000	Yes	N/A	4/14/2004	4/14/2007	δ.	Approved		2003-2005 USAs
Flore's Country Store 1.21 Acres	Flores's Country Store	1210	1.000	No No		4/14/2004	4/14/2057		Approved	_	2003-2005 USAs
14297 Old Bandera Rd_0.698	Robert J. Mander, Jr.	0.698	1.000	Š	N/A	4/16/2004	4/16/2007	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
14436 Old Bandera Rd 0.914	BBO Inc.	0.914	1.000	oN o	N/A	4/19/2004	4/19/2007	οN	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
Helotes Elementary, 4.64 Acres	Northside Independent School District	4.540	6.340	Yes		4/19/2004	4/19/2007	-	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
14893 Bandera Rd 0.8	National Underwriting Services, Inc.	0.800	1.000	No	N/A	4/19/2004	4/19/2007	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
15103 Bandera Rd 1.5	El Chaparral Mexican Restaurant/Carlos Garcia	1 500	13.100	No	N/A	4/26/2004	4/26/2007	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
13438 Bandera Rd_6.743	Judy Buck	6.743	5.250	Νo	A/A	4/29/2004	4/29/2007	°S	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
15021 Bandera Rd 0.68	Sachiko Mussey/ Bill Mussey	089'0	1.000	oN	N/A	5/5/2004	5/5/2007	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
13715 Riggs Road	Archdiocese of San Antonio	6,746	7.000	yes	N/A	6/29/2004	5/29/2007	No	Approved		2003-2005 USAs
Camp Tract	Reyes Creek 150 L.L.C.	150,000	200.000	Yes	04-054	8/3/2004	6/3/2007	Š	Approved	Replaced with newer USA. Capacity not reserved and not guaranteed.	2003-2005 USAs
Shadow Canyon	Tom Oreiss	104,600	230,000	Yes	04-222	8/4/2004	8/4/2004	N <sub>o</sub>	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
Triana Tract_234.231	Lorenzo Triana	234.231	720.000	8	05-085	4/14/2005	4/14/2008	ů.	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
27.716-Acre Tract Helotes	Bandera Blue Eyes Interest Ltd.	912.75	60.000	o <sub>N</sub>	N/A	9/21/2005	9/21/2008	Š	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
Wal-Mart super center #3871-00_31,456	Wal-Mart Stores Texas, LP.	31,456	44.000	No	05-255	9/23/2005	9/23/2008	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
Riebe Tract	Regent Communities	27.000	108.000	οN	NA	12/1/2005	12/1/2008	No	Approved	Capacity not reserved and not guaranteed.	2003-2005 USAs
Apacheria and Ranch Parkway	SP Real Estate investments, Ltd.	24.000	69.000	οŅ				o <sub>N</sub>	Pending	Ť	2003-2005 USAs
Shadow Canyon Remainder Tract	Post Oak Development of Texas, Inc.	208.680	440.000	Yes		1/21/2007	1,21/2010	Yes	Approved	Ranchlown No. 2 Booster Pump Needs Upgrades. Capacity , not reserved and not quaranteed.	2006 USAs
Camp Tract	Capital Pacific Holdings, LLC	150.000	350.000	Yes		3/12/2007	3/12/2010	οŅ	Approved	Replaces older existing USA. Capacity not reserved and not quaranteed.	2006 USAs
Apacheria and Ranch Parkway	BP 232 Helotes	24.000	900069	Yes		3/28/2007	3/28/2010	Š	Approved	it reserved and not quaranteed.	2006 USAs
Canyon Ranch Tract	Maße-Canyon Ranch, Ltd.	460.990	870.000	Yes	06-325	7/23/2007	7/23/2010	Yes	Approved		2006 USAs
Triana Residential Tract	KB Home Ltd., L.P.	198.000	700.000	No				χές	Pending	Overlaps 2004 USA as res, portion needs more EDUs. Capacity not reserved and not ouaranteed.	2006 USAs
Los Remainder Tract	Los Reyes, Inc.	30.660	83.000	Yes	07-104	6/11/2007	6/11/2010		Approved		2007 USAs
Shadow Canyon 91,47 Acre Tract	Shadow Creek Canyon, Ltd.	91,470	496.000	Yes					Pending		2007 USAs
Ranch at iron Horse	Pulte Homes of Texas, LP	36.000	85.000	Yes						Capacity not reserved and not guaranteed.	2007 USAs



# City of Helotes Preliminary Engineering Study Proposed Water and Sanitary Sewer Lines

Project Limits:

Along North side of Bandera Road (SH16) from Scenic

Loop Road to Cedar Trail (approx. 11,200 feet)

Land Use:

Commercial/Retail

Projected Time Frame:

3-10 years

EDU:

4 EDU per acre

Total Acreage:

~ 145.1 AC

Total EDU:

~ 580.4 EDU

Sewer Demand (ULT):

.391,770 gallons per day @ peak flow

Water Demand (ULT):

Avg. Daily Flow:

127.69 gpm

Peak Daily Flow:

255.38 gpm

Peak Hourly Flow:

870.60 gpm

Peak Hourly Flow + Fire Flow:


2,870.60 gpm


SAWS Impact Fees:

\$5,500.00 per EDU

(Water and Sanitary Sewer)

~\$3,192,200.00





# HELOTES EDC - FEASIBILITY STUDY - PROPOSED SANITARY SEWER AND WATER LINES PRELIMINARY ENGINEERING COST ESTIMATE April 16, 2008

Description	Unit	Quantity	Unit Price	Extension
Sanitary Sewer Line				
8" SDR 26 PVC Gravity Sewer (0' - 6' Cut)	LF	7250	\$74.00	\$536,500.00
4" DI PVC Force Main (0' - 6' Cut)	LF	3700	\$50.00	\$185,000.00
Sanitary Sewer Manhole (0' - 6' depth)	EA	22	\$3,232.00	\$71,104.00
Sanitary Sewer Laterals	LF	1000	\$51.00	\$51,000.00
One Way Sanitary Sewer Cleanout	EA	40	\$240.00	\$9,600.00
Jacking, Boring or Tunneling (24")	LF	200	\$356.00	\$71,200.00
Jacking, Boring or Tunneling (36")	LF	200	\$369.00	\$73,800.00
Casing or Liner (24")	LF	190	\$110.00	\$20,900.00
Casing or Liner (36")	LF	190	\$120.00	\$22,800.00
Subtotal Sanitary Sewer Line		*		\$1,041,904.00
Lift Station	EA	1	\$150,000.00	\$150,000.00
Subtotal Lift Station				\$150,000.00
Water Line			400.00	4000 000 00
12" C900 PVC Water (0' - 6' Cut)	LF	9850	\$88.00	\$866,800.00
New 3/4" Short Service	EA	40	\$770.00	\$30,800.00
Fire Hydrant	ËΑ	31	\$3,735.00	\$115,785.00
16" Water tie-ins	EA	2	\$4,425.00	\$8,850.00
24" Water tie-ins	EA	1	\$5,806.00	\$5,806.00
Pipe Fittings, all sizes and types	TON	19.5	\$2,520.00	\$49,140.00
Subtotal Water Line			;	\$1,077,181.00
Subtotal for Sanitary Sewer and Water			;	\$2,269,085.00
Construction Contingencies (20%)				\$453,817.00
Engineering (10%)				\$226,908.50
TOTAL ESTIMATED COSTS				2,949,810.50